

Revision History:

Y/M/D	Author	CM5000 version
2015/5/22	Chris	CM5000_2.5.1055.59
2015/1/16	Chris	CM5000_2.3.1051.55
2014/10/27	Chris	CM5000_2.3.1043.50
2014/5/23	Chris	CM5000_2.3.1037.43
2014/5/15	Chris	CM5000_2.3.1037.42
2014/3/4	Chris	CM5000_2.1.1030.37
2013/11/5	Chris	CM5000_1.5.1024.30
2013/9/06	Stanley Lin	CM5000_1.3.1012.24
2013/6/21	Stanley Lin	CM5000_1.1.100.12

Ps The latest update should be listed on the top



Release Notes

Product	CM5000
Version	2.5.1055.59
Introduction	Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016, E5016H, E1008, E1008H, P5036-R, P5036-16-R
Change Log	<ol style="list-style-type: none">1. Increase IVA recording setting.2. Increase POS key word alarm setting.3. Add recording authority in control right setting.4. Increase POS erase setting.5. Increase NVR reboot function.6. Only display AVer protocol when searched AVer homemade camera.
Known Issues	<ol style="list-style-type: none">1. User can use schedule backup function even if they don't have playback authority.2. Execute 36ch preview and 36ch E-Map preview function concurrently may cause CM5000 unstable.3. CM5000 has some compatibility issue with NVIDIA EN7200GS graph card and will cause CM5000 crash randomly.4. POS information can't display on screen after 25 channel.5. Once disable motion detect function, CM5000 still receive motion notification.6. Even use login account with recording authorization, CM5000 still can access recording management.7. POS erase configuration won't real time available after setting via CM5000, need access setting page again.
Others	NA



Release Notes

Product	CM5000
Version	2.3.1051.55
Introduction	Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016, E5016H, E1008, E1008H, P5036-R, P5036-16-R
Change Log	<ol style="list-style-type: none">1. Remove command window when switch to setup page.2. Increase sync function of NVR name in camera tree.3. Increase alarm log auto-refresh function.4. Revise the accuracy of progress bar when using backup feature.
Known Issues	<ol style="list-style-type: none">1. User can use schedule backup function even if they don't have playback authority.2. Execute 36ch preview and 36ch E-Map preview function concurrently may cause CM5000 unstable.3. CM5000 has some compatibility issue with NVIDIA EN7200GS graph card and will cause CM5000 crash randomly.
Others	NA



Release Notes

Product	CM5000
Version	2.3.1043.50
Introduction	Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016, E5016H, E1008, E1008H, P5036-R, P5036-16-R
Change Log	<ol style="list-style-type: none">1. Support AVer New NVR P5036-R, P5036-16-R.2. Changed split layout to 36ch.
Known Issues	<ol style="list-style-type: none">1. User can use schedule backup function even if they don't have playback authority.2. Execute 36ch preview and 36ch E-Map preview function concurrently may cause CM5000 unstable.3. CM5000 has some compatibility issue with NVIDIA EN7200GS graph card and will cause CM5000 crash randomly.
Others	NA



Release Notes

Product	CM5000
Version	2.3.1037.43
Introduction	Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016, E5016H, E1008, E1008H
Change Log	1. Bug fixed: (1)E-Map live view function display failed
Known Issues	1. User can use schedule backup function even if they don't have playback authority.
Others	NA



Release Notes

Product	CM5000
Version	2.3.1037.42
Introduction	Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016, E5016H, E1008, E1008H
Change Log	<ol style="list-style-type: none">1. New feature:<ol style="list-style-type: none">(1) Support 2-way audio with NVR(2) E-Map support NVR/IP Camera live view(3) Support AVer IP Camera IVA setting(4) Increase 3D-denoise function in camera setting(5)Support reset to default button2. Improvement:<ol style="list-style-type: none">(1) Schedule backup support weekly setting(2) Revise recording management UI(3) Revise PTZ setting UI(4) QPlayer support file list(5)Change font type
Known Issues	<ol style="list-style-type: none">1. CM5000 will crash when user drag the “Details” button in camera management page.2. User can use schedule backup function even if they don’t have playback authority.
Others	NA



Release Notes

Product	CM5000
Version	
Introduction	Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016, E5016H, E1008, E1008H
Change Log	<ol style="list-style-type: none">1. New feature:<ol style="list-style-type: none">(1) Support multiple monitor (Up to 4)(2) Support remote schedule backup(3) Support analog camera setting(4) Support camera MFZ setting2. UI refine:<ol style="list-style-type: none">(1) Remove camera double click function in camera tree(2) E-PTZ: Fixed picture's aspect ratio as monitor's aspect ratio(3) Remove multiple page function in playback mode.(4) UI refine in setting page
Known Issues	<ol style="list-style-type: none">1. Don't import CM5000's configuration when NVR in auto-reconnect process.2. User need reboot CM5000 to reload the language of schedule backup function after they changed the system language.3. User can use schedule backup function even if they don't have playback authority.
Others	NA



Release Notes

Product	CM5000
Version	1.5.1024.30
Introduction	Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016, E5016H
Change Log	<ol style="list-style-type: none">1. New UI2. Support Auto-Reconnection3. Support Multiple Preview page (Up to 4 pages)4. Increase CMS Setting:<ol style="list-style-type: none">(1) Multi-Language(2) User Management (Support 128 Users)5. Increase Camera Setting:<ol style="list-style-type: none">(1) Active IP(2) 3A Adjustment (Preference, Exposure, WDR, Day-Night Switch, Denoise, ICR Control, AE Profile)(3) ROI(4) Smart Stream(5) Privacy Mask(6) Motion Detection
Known Issues	<ol style="list-style-type: none">1. CM5000 can't use analog camera setting in this version.2. Don't import CM5000's configuration when DVR in auto-reconnect process.
Others	NA

Ps The latest update should be listed on the top



Release Notes

Product	CM5000
Version	1.3.1012.24
Introduction	2nd Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016
Change Log	<ol style="list-style-type: none">1. Support playback mode.2. Support "Synchronize with time server" function.3. Support remote firmware update.
Known Issues	<ol style="list-style-type: none">1. When the internet connection is unstable, live-view image may be broken or lost.2. CM5000 cannot do auto-reconnection, when NVR lost connection.
Others	NA



Release Notes

Product	CM5000
Version	1.1.100.12
Introduction	1st Official Release
Hardware Compatibility	NA
Operating Systems	Windows XP, Windows Vista, Windows 7, Windows 8.
Compatibility List	E5016
Change Log	NA
Known Issues	<ol style="list-style-type: none">1. Playback mode is unavailable at this version.2. Do not support remote setting-“Synchronize with time server” of NVR system general configuration page.3. Preview screen sometimes fail to renew until the streaming is reloaded. There are two methods to reload streaming: 1. switch to setup mode then go back to preview mode; 2. Drag cameras from devices tree to preview window.4. When the internet connection is unstable, live-view image may be broken or lost.5. CM5000 cannot do auto-reconnection, when NVR lost connection.6. When CM5000 is getting responding from NVR, OS may show alarm message “This program is no responding”. At the meantime, the CM5000 program cannot be controlled.7. Do not support DVR firmware update from CM5000.
Others	NA

